

What is claimed is:

1. An isolated antibody generated against the propeptide of the Int1p protein of *Candida albicans*.
2. An isolated antibody according to claim 1 wherein the propeptide has the sequence of amino acids 1-263 of the Int1p protein as shown in Fig. 1.
3. An isolated antibody according to claim 1 wherein said antibody is capable of preventing the cleaving of the propeptide.
4. Isolated antisera containing an antibody according to Claim 1.
5. A method of treating or preventing an infection by a microorganism expressing the Int1p protein comprising administering an effective amount of the antibody according to claim 1 to a human or animal patient.
6. A method according to claim 5 wherein the microorganism is selected from the group consisting of *Candida albicans* and *Saccharomyces cerevisiae*.
7. A method according to claim 5 wherein the antibody is raised to a portion of the propeptide of Int1p effective to generate an immune response.
8. A method for treating patients exposed to *Candida albicans* in the presence of heparin, the method comprising:
administering the antibody according to claim 1 to a human or animal patient in an amount effective to bind with the heparin and to reduce or eliminate the activation of the Int1p protein.

T08260-05019560

9. A pharmaceutical composition for treating or preventing an infection from a microorganism expressing the Int1p protein comprising an effective amount of an isolated antibody according to claim 1 and a physiologically acceptable carrier, vehicle or diluent.

10. A pharmaceutical composition according to claim 9 wherein the microorganism is selected from the group consisting of *Candida albicans* and *Saccharomyces cerevisiae*.

11. A diagnostic kit comprising an antibody according to claim 1 and means for detecting binding by that antibody.

12. An isolated antibody generated against a peptide region of the Int1p protein of *Candida albicans* involved in the activation of the int1p propeptide.

13. An isolated antibody according to claim 12 wherein the peptide region is selected from the group consisting of the propeptide region at amino acids 1-263, the Catalytic domain 1 at amino acids 435-639, the Catalytic domain 2 at amino acids 738-949, and the Processing domain motif at amino acids 1022-1236 of the amino acid sequence depicted in Fig. 1.

14. An isolated antibody according to claim 12 wherein said antibody is capable of preventing the cleaving of the propeptide.

15. Isolated antisera containing an antibody according to claim 12.

16. A method of treating or preventing an infection by a microorganism expressing the Int1p protein comprising administering an effective amount of the antibody according to claim 12 to a human or animal patient.
17. A diagnostic kit comprising an antibody according to claim 12 and means for detecting binding by that antibody.
18. An isolated peptide selected from the group consisting of the propeptide region at amino acids 1-263, the Catalytic domain 1 at amino acids 435-639, the Catalytic domain 2 at amino acids 738-949, and the Processing domain motif at amino acids 1022-1236 of the amino acid sequence depicted in Fig. 1.
19. A method of generating an antibody comprising introducing a peptide according to claim 18 in a host capable of generating antibodies thereto.
20. An isolated nucleic acid sequence coding for the peptide according to claim 18.
21. A method of inducing an immunological response comprising administering to a patient a peptide according to claim 18.
22. A vaccine comprising a peptide according to claim 18 in an amount effective to generate an immunological response.
23. An isolated monoclonal antibody raised against the peptide of claim 18.
24. A method of diagnosing an infection by a microorganism capable of expressing an Int1p protein comprising introducing an antibody according to

30. A method according to claim 26 wherein the microorganism is selected from the group consisting of *Candida albicans* and *Saccharomyces cerevisiae*.